



# **Half-barrel Frame Tent THETA 608**

## **Product Images**







### **Short Description**

THETA tents are designed for high stability, easy logistics and comfort in extreme weather conditions and are suitable for medium and long term deployments.

## **Description**

#### **Frame**

The frame consists of ground frame, (rectangular profiles), arches and spacers (circular profiles). All profiles are made of black powder-coated aluminum, while all security pins are made of galvanized steel. All parts are designed to make the frame highly transportable - no frame part is longer than 2.15 m or heavier than 7 kg.

### Skin and flooring

The tent skin is made of lightweight high quality PVC coated fabric 620g/m², UV and water resistant. The roof and the sidewalls are integrated, while the groundsheet and gables are detachable. The groundsheet is made of PVC fabric (approx. 800 g/m²) and is attached to sidewalls by Velcro.

The THETA tent is equipped with 8 climatization passages, pairs of two, one above the other, in each corner.

### **Options and accessories**

- Additional protective flooring
- Partition walls

- Inner liners
- Sunroofs
- Side entrances
- Entrance modules
- Solid doors
- Rigid modular flooring
- Lights
- Heating
- Air conditioning
- Lettering/branding

## **Additional Information**

Application area	Civil Defence, Triage, Field Hospitals, First Aid Posts, Weatherproof Shelter for Sensitive Equipment and Workshops, Fire department, rescue service and aid organizations
Base area	48.00 m <sup>2</sup>
Width	6.00 m
Length	8.00 m
Height	3.00 m
Weight	355.50 kg